

Psychotropic Medications Guide for SANE
Developed by Leslie Miles, DNP, APRN, PMHNP- BC

Antipsychotics		Antidepressants	
Abilify*	Navane*	Amitriptyline	Nardil
Aripiprazole	Olanzapine	Anafranil*	Norpramin
Chlorpromazine	Orap*	Aventyl*	Nortriptyline
Clozapine	Paliperidone	Brintellix*	Pamelor*
Clozaril*	Perphenazine	Bupropion	Parnate
Fanapt*	Pimozide	Celexa*	Paroxetine
Fluphenazine	Prolixin*	Citalopram	Paxil*
Geodon*	Quetiapine	Clomipramine	Phenelzine
Haldol*	Rexulti*	Cymbalta*	Pristiq*
Haloperidol	Risperdal*	Desipramine	Protriptyline
Iloperidone	Risperidone	Desvenlafaxine	Prozac*
Invega*	Seroquel*	Desyrel*	Remeron*
Latuda*	Stelazine*	Doxepine*	Sarafem*
Loxapine	Thioridazine	Duloxetine	Selegline
Loxitane*	Thiothixene	Effexor XR*	Sertaline
Lurasidone	Thorazine*	Elavil*	Sinequan
Mellaril*	Trifluoperazine	Emsam* (patch)	Surmontil*
Moban*	Trilafon*	Escitalopram	Tranicypramine
	Ziprasidone	Fetizma*	Tofranil*
Also for mood disorders & impulse control		Fluoxetine	Trazodone
EPS Side Effect Medications		Fluvoxamine	Trimipramine
Artane*	Inderal*	Imipramine	Venlafaxine
Benadryl*	Ingrezza*	Isocarboxazid	Viibryd*
Benzotropine	Propranolol	Levomilnacipran	Vilazodone
Cogentin*	Trihexyphenidyl	Lexapro*	Vivactil*
Diphenhydramine	Valbenazine	Luvox*	Vortioxetine
Mood Stabilizers		Marplan*	Wellbutrin*
Carbamazepine	Oxcarbazepine	Mirtazapine	Zoloft*
Depakote*	Tegretol*	Note: Some are used for pain syndromes	
Eskalith*	Topamax*	Self Harm Assessment	
Gabapentin	Topiramate	Suicide Assessment - SAFE-T	
Lamictal*	Trileptal*	1) Identify Risk Factors	
Lamotrigine	Valporate	2) Identify Protective Factors	
Lithium	Valporic Acid	3) Suicide Inquiry: Suicide Thoughts, Plan, & Intent	
Neurontin*		4) Risk Level/ Intervention: Determine risk. Choose appropriate intervention.	
Also antiepileptics & some used for anxiety		SAMSHA: Suicide Safety App	

Psychotropic Medications Guide for SANE
Developed by Leslie Miles, DNP, APRN, PMHNP- BC

Anxiety		Sleepers	
Alprazolam	Klonopin*	Ambien*	Quazepam
Atarax*- NB	Librium*	Dalmane	Ramelteon
Atenolol- BB	Lorazepam	Desyrel*	Restoril*
Ativan*	Minipress*- BB	Diphenhydramine	Rozerem*
Benadryl* - NB	Oxazepam	Doral*	Silenor*
Busprone- NB	Prazosin- BB	Doxepin	Sonata*
Buspar* -NB	Propranolol- BB	Estazolam	Temazepam
Chlorazepate	Serax*	Flurazepam	Trazodone
Chlordiazepoxide	Tenormin* - BB	Halcion*	Triazolam
Clonazepam	Tranxene*	Lunesta*	Zaleplon
Diazepam	Triazolam	Mirtazapine	Zolpidem
Diphenhydramine- NB	Valium*	Pro-Som*	
Halcion*	Vistaril*- NB	Note: Some antidepressants, antipsychotics, antihistamines & Benadryl are used.	
Hydroxyzine- NB	Xanax*		
Inderal*- BB		Substance Abuse	
NB - Non Barbituate; BB- Beta blockers		Acamprosate - A	Naltrexone - O
Note: Gabapentin and Antipsychotics often used.		Antabuse- A	Narcan - O
		Buprenorphine - O	Nicoderm CQ - S
ADD/ADHD		Bupropion - S	Nicotine Patch - S
Adderall*	Guanfacine- NS	Campral - A	Nicotrol- S
Amphetamine d&l	Intuvix	Chantix- S	Revia A
Atomoxetine - NS	Methylin ER*	Commit- S	Suboxone- O
Clonidine	Methylphenidate	Disulfram - A	Subtex- O
Daytrana*	Modafinil - NS	Dolophine - O	Varenicline
Dexedrine*	Provigil* NS	Habitrol-S	Wellbutrin - S
Dexmethylphenidate	Ritalin*	Methadone- O	Vivtrol- A
Dextroamphetamine	Strattera* - NS	Naloxone- O	Zyban- S
Focalin*	Tenex* - NS	Note: A - Alcohol; AB - Alcohol/ BZ ;	
NS - Non stimulant		O- Opiates; S -Smoking	
Cognitive			
Aricept*	Namenda*	* Denotes Trade name	
Cognex*	Namzaric		
Donepezil	Razadyne*		
Exelon*	Rivastigmine		
Galantamine	Tacrine		
Memantine			
		Contact: leslie-miles@byu.edu	

|

|